

<110> DuPont Pharmaceuticals Company

```
<120> Peptidase-cleavable, targeted antineoplastic drugs and their therapeutic use

<130> PH-7134

<150> 60/189,387
```

<160> 210

<151>

```
<170> PatentIn version 3.0
```

2000-03-15

```
<210> 1
<211> 5
```

<212> PRT

<213> Artificial Sequence

<220>

<221> MOD_RES

<222> (1)..(1)

<223> 4-methoxy-benzenesulfonyl-beta-alanine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> homophenylalanine

<220>

<221> PEPTIDE

<222> (1)..(5)

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

<400> 1

<220>

```
<222>
         (1)..(1)
   <223> 1,2-C6H4(CO)2-histidine
   <220>
   <221> MOD_RES
   <222>
          (3)..(3)
   <223> homophenylalanine
   <220>
   <221> PEPTIDE
   <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
   <223>
          tide synthesizer using readily available materials well known to
          ordinarily skilled artisans
   <400> 2
Xaa Gly Xaa Tyr Leu
<210>
          3
   <211>
<212> PRT
M,
   <213> Artificial Sequence
Æ
ISTINII
   <220>
   <221> MOD_RES
    <222> (1)..(1)
    <223> acetyl-proline
    <220>
    <221> PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 3
    Xaa Leu Gly Leu Leu
    <210> 4
    <211> 5
    <212> PRT
```

<221> MOD_RES

<213> Artificial Sequence

```
<220>
<221> MOD_RES
<222>
      (1)..(1)
       acetyl-proline
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
Xaa Leu Gly Leu Leu
                5
<210>
       5
<211>
       5
<212>
       PRT
       Artificial Sequence
<213>
<220>
      MOD_RES
<221>
       (2)..(2)
<222>
<223> beta alanine
<220>
<221> MOD_RES
<222>
       (1)..(1)
       acetyl-proline
<223>
<220>
       PEPTIDE
<221>
       (1)..(5)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 5
Xaa Xaa Gly Leu Leu
                 5
<210>
       6
<211>
```

T

an der stat statistische statische statistische statistische statistische statistische statisti

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (2)..(2)
<223> 4-aminobutyric acid
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> PEPTIDE
<222>
      (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 6
Xaa Xaa Gly Leu Leu
<210> 7
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (2)..(2)
<223> cyclohexylalanine
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
       PEPTIDE
       (1)..(5)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Xaa Gly Leu Leu
<210>
       8
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 8
Pro Leu Gly Leu Leu
<210>
       9
<211>
       5
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> MeOCH2CH2OCH2(=0)-proline
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 9
Xaa Leu Gly Leu Leu
<210>
      10
<211>
       5
<212> PRT
```

<400> 7

ħ.

į.,

<213> Artificial Sequence

```
<220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223> MeOCH2CH2OCH2CH2OCH2C(=0)-proline
    <220>
    <221> PEPTIDE
           (1)..(5)
    <222>
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
           10
    Xaa Leu Gly Leu Leu
                     5
<210>
           11
    <211>
           5
    <212>
           PRT
    <213> Artificial Sequence
    <220>
    <221>
           MOD_RES
T.
    <222>
           (1)..(1)
<223>
           H2NCH2CH2N(CH2CH2)2NCH2C(=0)-proline
The first
    <220>
    <221> PEPTIDE
    <222>
           (1)..(5)
щ,
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
           11
    Xaa Leu Gly Leu Leu
                     5
    1
    <210> 12
    <211> 5
    <212>
          PRT
    <213>
           Artificial Sequence
    <220>
    <221> MOD_RES
```

<222>

(1)..(1)

a data a **material material participal and a superior and a super**

```
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      12
Xaa Leu Gly Leu Leu
<210>
       13
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> AcN(CH2CH2)2NCH2C(=0)-proline
<220>
<221> PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      13
Xaa Leu Gly Leu Leu
1
<210> 14
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223> O-benzyl-serine
<220>
```

```
Alberton L. (Betting
```

```
<221> PEPTIDE
<222>
      (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 14
Pro Leu Gly Xaa
<210>
       15
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> PEPTIDE
<222>
      (1)..(4)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
     15
Xaa Leu Gly Leu
<210>
      16
<211>
      5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

```
<400> 16
Xaa Pro Leu Gly Leu
                5
<210> 17
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223> sarcosine (N-methylglycine)
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 17
Xaa Pro Arg Xaa Xaa Leu
1
                5
<210> 18
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
```

```
<223> acetyl-proline
     <220>
     <221>
          MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
     <220>
     <221>
           PEPTIDE
     <222>
           (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 18
    Xaa His Gly Xaa Leu
IJEIJEE
     <210>
           19
     <211>
     <212>
           PRT
     <213> Artificial Sequence
<220>
<221> MOD_RES
    <222>
           (1)..(1)
    <223> acetyl-proline
I
     <220>
     <221> MOD_RES
    <222>
           (2)..(2)
     <223> ornithine
    <220>
    <221> MOD_RES
    <222>
           (4)..(4)
    <223> homophenylalanine
    <220>
```

<220> <221> PEPTIDE <222> (1)..(5)

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 19
     Xaa Xaa Gly Xaa Leu
                     5
     <210> 20
     <211> 5
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
<222>
            (2)..(2)
anlma
     <223> diaminoproprionic acid
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
<223> homophenylalanine
<220>
T)
u
     <221> PEPTIDE
<222>
           (1)..(5)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
ordinarily skilled artisans
     <400>
          20
     Xaa Xaa Gly Xaa Leu
     <210> 21
     <211> 5
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
```

<223> acetyl-proline

W

<400> 22

```
<220>
<221> MOD_RES
<222>
      (2)..(2)
<223> N5-aminocarbonylornithine
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> PEPTIDE
      (1)..(5)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      21
Xaa Xaa Gly Xaa Leu
<210> 22
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> (0-(3-pyridyl-)) tyrosine
<220>
<221>
     PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

out of the state o

H

```
Xaa Leu Gly Xaa Leu
     <210> 23
     <211> 5
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
     <222> (4)..(4)
     <223> (0-(4-pyridyl-)) tyrosine
BUMELD
     <220>
     <221> PEPTIDE
     <222>
           (1)..(5)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 23
    Xaa Leu Gly Xaa Leu
     <210> 24
     <211> 5
     <212> PRT
     <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222> (1)..(1)
    <223> acetyl-proline
    <220>
    <221> MOD_RES
    <222> (4)..(4)
    <223> (4-aza-) homophenylalanine
    <220>
```

```
<221> PEPTIDE
<222> (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 24
Xaa Leu Gly Xaa Leu
<210> 25
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
      (0-benzyl-) serine
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      25
Xaa Leu Gly Xaa Leu
<210> 26
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> carbobenzyloxy-proline
```

ACREA AND BE THE REMARKS BEING TO CONTROL OF THE PROPERTY OF T

```
I SELECTE LEGISTIC
```

```
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223>
       (0-(4-pyridylmethyl-)) tyrosine
<220>
<221> PEPTIDE
<222>
       (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 26
Xaa Leu Gly Xaa Leu
                5
<210> 27
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (3)..(3)
     sarcosine (N-methylglycine)
<223>
<220>
<221> PEPTIDE
<222> (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      27
Xaa Leu Xaa Leu Leu
<210>
      28
<211>
```

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (2)..(2)
<223>
      (N-Me-) leucine
<220>
<221> PEPTIDE
<222> (1)..(2)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 28
Xaa Xaa Gly Leu Leu
<210> 29
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> (N-Me-) leucine
<220>
<221> PEPTIDE
<222>
      (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

ITAGIBAJE . IIE.

```
<400> 29
Xaa Leu Gly Xaa Leu
                5
<210> 30
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl 4-hydroxyproline
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       30
Xaa Leu Gly Leu Leu
<210>
       31
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
       acetyl-(thiazolidine-4-carbonyl)
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 31
Xaa Leu Gly Leu Leu
```

_ nur Make bili v liki i i liki i ka

J.

```
5
1
<210>
       32
<211>
       PRT
<212>
       Artificial Sequence
<213>
<220>
       MOD_RES
<221>
       (1)..(1)
<222>
       acetyl-(Homo-proline)
<223>
<220>
       PEPTIDE
<221>
       (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
<222>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       32
Xaa Leu Gly Leu Leu
                 5
        33
<210>
<211>
<212>
        PRT
        Artificial Sequence
<213>
 <220>
        MOD_RES
 <221>
        (1)..(1)
 <222>
        acetyl-(Homo-proline)
 <223>
 <220>
        MOD_RES
 <221>
        (4)..(4)
 <222>
        homophenylalanine
 <223>
 <220>
 <221>
        PEPTIDE
        (1)..(5)
 <222>
        The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
 <223>
        ordinarily skilled artisans
```

<400> 33

```
Xaa Leu Gly Xaa Leu
<210>
      34
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-(Homo-proline)
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
      ornithine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      34
Xaa Xaa Gly Xaa Leu
1
                5
       35
<210>
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
      (1)..(1)
<222>
<223>
       acetyl-Nipecotate
```

H.H.

i-i

<220>

```
<221> PEPTIDE
     <222>
           (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 35
    Xaa Leu Gly Leu Leu
     <210>
           36
     <211> 5
     <212>
          PRT
     <213> Artificial Sequence
    <220>
    <221> MOD_RES
     <222>
           (1)..(1)
E.
     <223> acetyl-2-carboxyazetidine
<220>
ŭ
    <221>
           PEPTIDE
    <222>
           (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
T.
           tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
    <400> 36
    Xaa Leu Gly Leu Leu
    <210>
           37
    <211>
    <212>
           PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-cyclohexylglycine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
```

tide synthesizer using readily available materials well known to

```
1 4 1 1
```

ordinarily skilled artisans

```
<400> 37
Xaa Leu Gly Leu Leu
<210> 38
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (2)..(2)
<223> valerolactam
<220>
<221> PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 38
Xaa Xaa Gly Leu Leu
<210> 39
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 39
Xaa Pro Leu Gly Leu Phe
<210> 40
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       40
Xaa Pro Leu Gly Phe Phe
<210>
      41
<211>
      5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-leucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
id-b-l---k-----k 18645--------
```

```
INGERTAL INGELI
```

```
<400> 41
Xaa Gly Leu Tyr Leu
                5
<210> 42
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> cyclopropylcarbonyl-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 42
Xaa Gly Leu Tyr Leu
<210> 43
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> cyclobutylcarbonyl-leucine
<220>
<221> PEPTIDE
<222> (1)..(5)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       43
Xaa Gly Leu Tyr Leu
```

nation with the state of the s

```
and hard decision
```

T.

<211>

6

```
5
1
<210> 44
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> pivaloyl-leucine
<220>
<221> PEPTIDE
       (1)..(5)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 44
Xaa Gly Leu Tyr Leu
<210> 45
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
     4-hydroxproline
<220>
<221>
     PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      45
Xaa Gly Pro Leu Gly Leu Leu
<210>
      46
```

<212> PRT

<211> <212> PRT

<220>

<213> Artificial Sequence

<213> Artificial Sequence

```
<220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221>
           PEPTIDE
     <222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 46
     Xaa Leu Gly Leu Ala Leu
ITATIEM 3
     <210>
            47
     <211>
           6
     <212>
            PRT
     <213>
            Artificial Sequence
T.
     <220>
- I E I E I
     <221> MOD_RES
     <222>
            (1)..(1)
     <223> acetyl-proline
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 47
     Xaa Leu Gly Leu Tyr Leu
     <210> 48
```

```
white the description and the state of the s
```

超回點點

þ.

```
<221> MOD_RES
<222> (1)..(1)
<223> polyethyleneglycol-proline
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 48
Xaa Leu Gly Leu Tyr Leu
                5
<210> 49
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> H3CC(=0)NH-polyethyleneglycol-proline
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
     49
Xaa Leu Gly Leu Tyr Leu
<210> 50
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
```

ne sine constitue for the contract of the cont

```
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 50
Xaa Leu Gly Leu Tyr Leu
<210>
       51
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 51
Xaa Leu Gly Leu Ser Leu
<210>
      52
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
      acetyl-glycine
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 52
Xaa Pro Leu Gly Leu Leu
<210>
      53
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
     (1)..(1)
<223> O(CH2CH2)NCH2CH2NHC(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      53
Xaa Pro Leu Gly Leu Leu
                5
<210>
      54
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<400> 54
Xaa Pro Leu Gly Leu Tyr
<210> 55
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       55
Xaa Leu Gly Leu Leu Leu
<210> 56
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

```
<400> 56
Xaa Pro Leu Gly Xaa Phe
<210> 57
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> norleucine
<220>
<221> PEPTIDE
      (1)..(6)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 57
Xaa Pro Leu Gly Xaa Phe
<210> 58
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> carbobenzyloxy-glycine
<220>
<221> PEPTIDE
<222> (1)..(6)
```

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 58
Xaa Pro Leu Gly Leu Leu
<210>
       59
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 59
Xaa Pro Leu Gly Leu Leu
<210> 60
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> H2NCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<400> 60
Xaa Pro Leu Gly Leu Leu
<210>
       61
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 61
Xaa Pro Leu Gly Leu Leu
<210> 62
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-gamma-glutamic acid
<220>
<221>
     PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 62
Xaa Pro Leu Gly Leu Leu
```

```
ISSISSE ISSIS
```

```
1
                5
<210> 63
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> 3-thienylalanine
<220>
<221> PEPTIDE
<222>
       (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 63
Xaa Pro Leu Gly Xaa Phe
                5
<210> 64
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> 2-phenylglycine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
```

<220>

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 64
Xaa Pro Leu Gly Xaa Phe
<210>
       65
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> methoxyacetyl-glycine
<220>
<221>
     PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       65
Xaa Pro Leu Gly Leu Leu
                5
<210> 66
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
     3-thienylalanine
<223>
```

```
<221> PEPTIDE
     <222>
           (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 66
     Xaa Pro Leu Gly Xaa Leu
     <210> 67
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
阿拉口阿斯
     <223> N,N-dimethylglycine
     <220>
     <221> MOD_RES
     <222> (5)..(5)
<223> 2-phenylglycine
<220>
<221> PEPTIDE
<222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
ļai,
            ordinarily skilled artisans
     <400> 67
     Xaa Pro Leu Gly Xaa Leu
     <210> 68
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> N.N-dimethylglycine
```

comments of the co

H

```
<220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
            O-benzyl-tyrosine
     <223>
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
     <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 68
     Xaa Pro Leu Gly Xaa Leu
                      5
<210> 69
ded to the second
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
     <221>
            MOD_RES
<222>
            (1)..(1)
            N, N-dimethylglycine
     <223>
I in II i
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
            biphenylalanine
     <223>
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 69
     Xaa Pro Leu Gly Xaa Leu
     <210>
            70
     <211>
```

THEFT THE

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 70
Xaa Pro Leu Gly Phe Xaa
                5
<210>
      71
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<400> 71
     Xaa Pro Leu Gly Leu Xaa
                     5
     <210> 72
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-glycine
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223> 2-naphthylalanine
gener
     <220>
     <221>
           MOD_RES
     <222>
           (6)..(6)
<223> biphenylalanine
<220>
     <221>
           PEPTIDE
     <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 72
    Xaa Pro Leu Gly Xaa Xaa
    <210>
           73
```

<211> 6 <212>

<220>

<222>

PRT

<221> MOD_RES

(1)..(1)<223> acetyl-glycine

<213> Artificial Sequence

```
I total them.
```

```
OSECETE LEECT
```

```
<220>
<221> PEPTIDE
<222>
       (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 73
Xaa Pro Leu Gly Phe Ala
<210> 74
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> biphenylalanine
<220>
<221> PEPTIDE
<222> (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 74
Xaa Pro Leu Gly Xaa Ala
                5
1
<210> 75
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
```

```
<223> acetyl-glycine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 75
Xaa Pro Leu Gly Leu Ala
<210> 76
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> O-benzyl-tyrosine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 76
Xaa Pro Leu Gly Xaa Phe
<210> 77
<211> 6
<212> PRT
<213> Artificial Sequence
```

and the fill the fill to he admired

T

M

T.

<220>

```
م سوندن ۱ کالگانی اسل سازی
```

```
<221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-glycine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 77
     Xaa Pro Gln Gly Leu Leu
                     5
     <210> 78
     <211> 6
<212> PRT
     <213> Artificial Sequence
<220>
I
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-glycine
<220>
     <221> PEPTIDE
     <222>
           (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
ļui,
            ordinarily skilled artisans
     <400> 78
     Xaa Pro Arg Gly Leu Leu
     <210> 79
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-glycine
```

For a

```
<220>
     <221> MOD_RES
     <222> (6)..(6)
     <223> 4-pyridyl-alanine
     <220>
     <221> PEPTIDE
     <222>
           (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 79
    Xaa Pro Leu Gly Leu Xaa
<210> 80
<211> 6
     <212> PRT
<213> Artificial Sequence
    <220>
    <221> MOD_RES
<222> (1)..(1)
     <223> acetyl-glycine
    <220>
    <221> PEPTIDE
    <222> (1)..(6)
     <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 80
    Xaa Pro Leu Gly Leu Arg
                    5
    1
    <210> 81
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
```

```
<223> acetyl-glycine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 81
     Xaa Pro Leu Gly Leu Trp
     <210> 82
     <211> 6
     <212> PRT
     <213> Artificial Sequence
Total S
<220>
     <221> MOD_RES
     <222> (1)..(1)
<223> acetyl-glycine
H.
     <220>
19
<221> PEPTIDE
T
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
tide synthesizer using readily available materials well known to
ij
            ordinarily skilled artisans
ļ<sub>a</sub>fi
     <400>
            82
     Xaa Pro Leu Gly Val Leu
     <210> 83
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-glycine
```

خصونته سانكك كالكالك

<220>

The after a fire college, and the college of the co

```
<221> MOD_RES
    <222>
           (5)..(5)
    <223> homophenylalanine
    <220>
    <221> PEPTIDE
    <222>
           (1)..(6)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 83
    Xaa Pro Leu Gly Xaa Leu
                    5
    <210> 84
MWMINE I
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
<223> acetyl-glycine
ä
<220>
<221> PEPTIDE
I
    <222>
           (1)..(6)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 84
    Xaa Pro Leu Ala Leu Leu
    <210> 85
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222> (1)..(1)
    <223> N,N-dimethylglycine
```

```
DOMINATE LINESDI
```

```
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       85
Xaa Pro Ile Gly Xaa Leu
<210>
       86
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      N, N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (3)..(3)
<223>
       cyclohexylglycine
<220>
<221>
      MOD RES
<222>
      (5)..(5)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 86
```

```
ITALIKATE LIBELI
```

```
Xaa Pro Xaa Gly Xaa Leu
<210>
       87
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 87
Xaa Pro Val Gly Leu Leu
                5
<210>
       88
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 88
Xaa Pro Ile Gly Leu Leu
                5
1
```

```
COSCIENT TERROR
```

```
<210> 89
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222> (5)..(5)
<223> biphenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 89
Xaa Pro Arg Gly Xaa Leu
                5
<210> 90
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222> (6)..(6)
<223> O-benzyl-tyrosine
<220>
<221> PEPTIDE
      (1)..(6)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

ELT.

HIL

E I

THE REAL PORT

```
<400> 90
Xaa Pro Leu Gly Leu Xaa
                5
<210> 91
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 91
Xaa Pro Leu Gly Glu Leu
<210>
       92
<211>
       6
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222> (5)..(5)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222> (1)..(6)
```

<220>

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 92
Xaa Pro Lys Gly Xaa Leu
                5
<210>
      93
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 93
Xaa Pro Leu Gly Leu Glu
<210>
       94
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       MOD_RES
<222>
      (5)..(5)
<223> biphenylalanine
```

```
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 94
Xaa Pro Leu Gly Xaa Glu
<210>
       95
<211>
<212> PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (1)..(1)
      N, N-dimethylglycine
<223>
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
       sarcosine (N-methylglycine)
<223>
<220>
<221>
      MOD_RES
      (5)..(5)
<222>
<223> homophenylalanine
<220>
      PEPTIDE
<221>
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
       95
<400>
Xaa Pro Arg Xaa Xaa Arg Leu
<210>
       96
<211>
<212> PRT
<213> Artificial Sequence
```

```
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N, N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
       (1)..(7)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      96
Xaa Pro Arg Gly Xaa Arg Leu
<210> 97
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD RES
<222>
      (5)..(5)
<223> biphenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

```
Xaa Pro Arg Gly Xaa Arg Leu
<210>
      98
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 98
Xaa Pro Leu Gly Asn Leu
                5
<210> 99
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-glycine
<220>
      PEPTIDE
<221>
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 99
Xaa Pro Leu Gly Ser Leu
                 5
```

```
<210> 100
<211>
      PRT
<212>
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> 4-hydroxy-phenyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      100
Xaa Pro Leu Gly Xaa Leu
<210>
      101
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

T.

Ę

<222>

(4)..(4)

```
<400> 101
Xaa Leu Gly Xaa His Leu
<210> 102
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
      (1)..(6)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 102
Xaa Leu Gly Xaa Ala Leu
                5
<210> 103
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
```

```
<223> homphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      103
Xaa Leu Gly Xaa Tyr Leu
                5
<210> 104
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> morpholinylpropyl-glycine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      104
Xaa Leu Gly Xaa Xaa Leu
1
                5
```

```
CAMINESS LOGINI
```

```
<210>
      105
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
       (1)..(7)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      105
Xaa Pro Leu Gly Xaa Tyr Leu
                5
<210> 106
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
       (1)..(1)
<222>
<223> succinyl-proline
<220>
      MOD_RES
<221>
       (4)..(4)
<222>
 <223> homophenylalanine
 <220>
 <221> PEPTIDE
       (1)..(6)
 <222>
 <223> The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

n.

12

```
<400> 106
Xaa Leu Gly Xaa Tyr Leu
                5
1
<210> 107
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (5)..(5)
<223> (0-(4-pyridylmethyl)-tyrosine)
<220>
<221> MOD_RES
      (4)..(4)
<222>
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      107
Xaa Leu Gly Xaa Xaa Leu
                5
<210> 108
<211>
<212>
       PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222> (1)..(1)
```

```
SHISS
14
IJ En ed
```

```
<223> acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homo-tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      108
Xaa Leu Gly Xaa Tyr Leu
                5
<210>
       109
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> 4-aza-homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      109
Xaa Leu Gly Xaa Tyr Leu
                5
```

```
<210> 110
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223>
           (0-(4-pyridyl-)-tyrosine)
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
<223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 110
Xaa Leu Gly Xaa Tyr Leu
Ingeni
    <210> 111
    <211>
    <212>
           PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
    <223> acetyl-proline
    <220>
    <221> MOD_RES
    <222>
           (4)..(4)
    <223> phenylpropyl-glycine
    <220>
    <221>
          PEPTIDE
    <222>
           (1)..(6)
    <223> The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
```

Xaa Leu Gly Xaa Tyr Leu

5

<400> 111

<210> 112 <211> 6 <212> PRT

```
<213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
<221> MOD_RES
GENERAL
     <222> (4)..(4)
     <223> styryl-alanine
     <220>
    <221> PEPTIDE
           (1)..(6)
    <222>
The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 112
    Xaa Leu Gly Xaa Tyr Leu
                     5
    <210> 113
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
          (1)..(1)
```

<223> acetyl-proline

(4)..(4)

<220>

<222>

<221> MOD RES

```
<223> O-benzyl-serine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      113
Xaa Leu Gly Xaa Tyr Leu
<210> 114
<211> 6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (2)..(2)
<223> N,N-dimethyl-lysine
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
     PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      114
Xaa Xaa Gly Xaa Tyr Leu
                5
```

```
<210> 115
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetylproline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
      homophenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223> diaminopropionic acid
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 115
Xaa Leu Gly Xaa Xaa Leu
      116
<210>
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
     MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
```

```
<220>
    <221>
          MOD_RES
    <222>
          (5)..(5)
    <223> ornithine
    <220>
    <221>
          PEPTIDE
    <222>
           (1)..(6)
    <223> The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
          116
    Xaa Leu Gly Xaa Xaa Leu
                    5
4
    <210> 117
    <211>
           6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
    <223> polyethyleneglycol-proline
    <220>
    <221> MOD_RES
    <222>
           (4)..(4)
    <223> homophenylalanine
    <220>
    <221> MOD_RES
    <222>
          (5)..(5)
    <223>
          ornithine
    <220>
    <221>
           PEPTIDE
    <222>
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
```

<400> 117

```
Xaa Leu Gly Xaa Xaa Leu
     <210> 118
     <211>
           7
     <212>
           PRT
     <213> Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-gamma-glutamic acid
    <220>
    <221>
           MOD_RES
    <222>
           (5)..(5)
    <223>
           homophenylalanine
<220>
    <221>
           MOD_RES
    <222>
           (6)..(6)
    <223>
           ornithine
<220>
<221>
           PEPTIDE
<222>
           (1)..(7)
    <223> The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
ordinarily skilled artisans
    <400>
           118
    Xaa Pro Leu Gly Xaa Xaa Leu
                    5
    <210>
           119
    <211>
           7
    <212> PRT
    <213> Artificial Sequence
    <220>
    <221> MOD_RES
    <222>
           (1)..(1)
    <223> gamma-glutamic acid
    <220>
```

```
<220>
     <221> MOD_RES
     <222>
           (6)..(6)
     <223> ornithine
     <220>
     <221>
           PEPTIDE
     <222>
           (1)..(7)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 119
阿阳四周河
     Xaa Pro Leu Gly Xaa Xaa Leu
     <210>
           120
     <211>
            6
<212> PRT
     <213> Artificial Sequence
III Em
    <220>
    <221>
           MOD_RES
E.
     <222>
            (1)..(1)
<223> acetyl-proline
ļul,
    <220>
    <221>
           MOD_RES
    <222>
            (2)..(2)
     <223>
           ornithine
    <220>
    <221>
           MOD_RES
    <222>
            (4)..(4)
    <223> homophenylalanine
    <220>
```

<221> MOD_RES

<223> ornithine

(5)..(5)

<222>

<221> MOD_RES

(5)..(5)<223> homophenylalanine

<222>

Annual Company of the

```
<220>
     <221>
           PEPTIDE
     <222>
           (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
          120
    <400>
    Xaa Xaa Gly Xaa Xaa Leu
    <210> 121
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
<221> MOD_RES
    <222>
           (1)..(1)
    <223> acetyl-proline
    <220>
    <221>
           MOD_RES
           (2)..(2)
    <222>
    <223>
           ornithine
    <220>
    <221>
           MOD_RES
    <222>
           (4)..(4)
    <223>
           homophenylalanine
    <220>
    <221> PEPTIDE
    <222>
           (1)..(6)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 121
    Xaa Xaa Gly Xaa Tyr Leu
    <210> 122
    <211> 7
```

MELIN

Ш

h

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223> ornithine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222> (1)..(7)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 122
Xaa Pro Xaa Gly Xaa Glu Leu
                5
<210> 123
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (2)..(2)
<223> ornithine
<220>
```

some finite and the first like the state of the state of

```
<221> PEPTIDE
     <222> (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 123
     Xaa Xaa Gly Leu Tyr Leu
     <210> 124
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
<223> acetyl-proline
     <220>
     <221> MOD_RES
     <222> (2)..(2)
<223> 4-aza-phenylalanine
<220>
     <221> PEPTIDE
     <222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
1
            ordinarily skilled artisans
     <400> 124
    Xaa Xaa Gly Leu Tyr Leu
     <210> 125
     <211> 6
     <212> PRT
     <213> Artificial Sequence
    <220>
     <221> MOD_RES
    <222> (1)..(1)
    <223> acetyl-proline
```

CORLEGE

9

```
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> 2,4-diaminobutanoic acid
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 125
Xaa Leu Gly Xaa Xaa Leu
<210> 126
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 126
```

```
Xaa Leu Gly Xaa Lys Leu
     <210> 127
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
<220>
     <221> MOD_RES
     <222> (5)..(5)
H
     <223> N,N-dimethyl-lysine
<220>
2
<221> PEPTIDE
     <222>
           (1)..(6)
und
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 127
     Xaa Leu Gly Xaa Xaa Leu
     <210> 128
     <211> 7
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> N,N-dimethylglycine
    <220>
```

```
<221> MOD_RES
    <222> (5)..(5)
    <223> homophenylalanine
    <220>
    <221> MOD_RES
          (6)..(6)
    <222>
          N, N-dimethyl-lysine
    <223>
    <220>
          PEPTIDE
    <221>
           (1)..(7)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <222>
           tide synthesizer using readily available materials well known to
    <223>
           ordinarily skilled artisans
           128
<400>
Xaa Pro Leu Gly Xaa Xaa Leu
T)
           129
I
    <210>
<211>
<212>
           PRT
           Artificial Sequence
     <213>
T
     <220>
     <221> MOD_RES
ħ
           (1)..(1)
     <222>
I
     <223> polyethyleneglycol-proline
     <220>
           MOD_RES
     <221>
            (4)..(4)
     <222>
     <223> homophenylalanine
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
           N,N-dimethyl-lysine
     <223>
     <220>
```

The synthesis of this peptide may be performed on an ABI 433A pep

tide synthesizer using readily available materials well known to

PEPTIDE

(1)..(6)

<221>

<222>

<223>

```
LLL L LAND ILLIE
```

T

ordinarily skilled artisans

```
<400>
       129
Xaa Leu Gly Xaa Xaa Leu
<210> 130
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> N,N-dimethyl-lysine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 130
Xaa Pro Leu Gly Xaa Xaa Leu
                5
<210> 131
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
```

```
<223> gamma-glutamic acid
     <220>
     <221> MOD_RES
     <222>
            (5)..(5)
     <223>
            homophenylalanine
     <220>
     <221> MOD_RES
     <222>
           (6)..(6)
     <223> N,N-dimethyl-lysine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(7)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400>
           131
Xaa Pro Leu Gly Xaa Xaa Leu
5
<210> 132
T
     <211> 6
<212> PRT
<213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223> N,N-dimethyl-lysine
    <220>
```

```
<221> MOD_RES
     <222> (6)..(6)
     <223> norleucine
     <220>
     <221> PEPTIDE
     <222> (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400>
           132
     Xaa Leu Gly Xaa Xaa Xaa
                     5
     <210> 133
     <211> 6
<212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
N
     <223> acetyl-proline
<220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
باعيا
     <220>
     <221> MOD_RES
     <222> (5)..(5)
     <223> N,N-dimethyl-lysine
     <220>
     <221> MOD_RES
     <222> (6)..(6)
     <223> cyclohexylalanine
     <220>
     <221> PEPTIDE
     <222> (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
```

<u>...1.4...13..15..21.15...184446...</u> (

ordinarily skilled artisans

```
<400> 133
Xaa Leu Gly Xaa Xaa Xaa
<210> 134
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> N5-aminocarbonylornithine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 134
Xaa Leu Gly Xaa Xaa Leu
                5
<210> 135
<211>
      7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
```

T)

MI N n

```
acetyl-gamma-glutamic acid
     <220>
     <221> MOD_RES
     <222>
            (5)..(5)
     <223> homophenylalanine
     <220>
     <221> MOD_RES
     <222> (6)..(6)
     <223> N5-aminocarbonylornithine
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(7)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
tide synthesizer using readily available materials well known to
I
            ordinarily skilled artisans
<400> 135
T
Xaa Pro Leu Gly Xaa Xaa Leu
2
<210> 136
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
           (4)..(4)
     <222>
     <223> homophenylalanine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
```

```
<400> 136
     Xaa Leu Gly Xaa Gln Leu
                     5
     <210> 137
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
     <222> (4)..(4)
JHUME
     <223> homophenylalanine
     <220>
     <221> MOD_RES
     <222> (5)..(5)
<223> 4-aza-phenylalanine
<220>
     <221> PEPTIDE
     <222>
            (1)..(6)
     <223> The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
jari,
            ordinarily skilled artisans
     <400> 137
     Xaa Leu Gly Xaa Xaa Leu
     <210> 138
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
```

I

jud.

```
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      138
Xaa Leu Gly Xaa Val Leu
<210> 139
<211>
      7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 139
Xaa Pro Leu Gly Xaa Glu Leu
<210> 140
<211> 6
```

```
<212>
      PRT
<213>
      Artificial Sequence
<220>
      MOD_RES
<221>
<222>
       (1)..(1)
       acetyl-glycine
<223>
<220>
<221>
      MOD_RES
       (2)..(2)
<222>
       2-carboxyazetidine
<223>
<220>
<221>
       PEPTIDE
       (1)..(6)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
      140
<400>
Xaa Xaa Leu Gly Leu Leu
<210>
       141
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221>
       MOD RES
       (1)..(1)
<222>
<223> acetyl-(4-fluoro-phenylalanine)
<220>
<221>
       PEPTIDE
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
 <223>
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
 <400> 141
 Xaa Leu Gly Leu Leu
                 5
```

CONTRACTOR OF THE PROPERTY OF

```
DOGDAGJE LIGHTY
```

```
<210> 142
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      142
Xaa Leu Gly Leu Tyr Leu
                5
<210>
      143
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-homophenylalanine
<220>
<221> MOD RES
      (4)..(4)
<222>
      homophenylalanine
<223>
<220>
<221> MOD_RES
      (5)..(5)
<222>
      ornithine
<223>
<220>
      PEPTIDE
<221>
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

```
<400>
      143
Xaa Leu Gly Xaa Xaa Leu
<210> 144
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> acetyl-2-carboxyazetidine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      144
Xaa Leu Gly Leu Tyr Leu
                5
<210>
      145
<211>
      PRT
<212>
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-2-carboxyazetidine
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
```

```
<223> ornithine
 <220>
 <221>
       PEPTIDE
 <222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
 <223>
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
       145
Xaa Leu Gly Xaa Xaa Leu
                 5
<210>
       146
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       146
Xaa Leu Gly Leu Tyr Gly
                5
<210>
       147
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-proline
<220>
```

```
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      147
Xaa Leu Gly Xaa Tyr Gly
<210>
       148
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> beta-homo-leucine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      148
Xaa Leu Gly Leu Tyr Xaa
                5
<210> 149
<211> 6
<212>
      PRT
<213> Artificial Sequence
```

```
DOBUGHE ... DEEDLE
```

```
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> beta-homo-leucine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      149
Xaa Leu Gly Xaa Tyr Xaa
                5
<210> 150
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> beta-alanine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
```

```
<400>
      150
Xaa Leu Gly Leu Tyr Xaa
                5
<210>
      151
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223> 6-aminohexanoic acid
<220>
<221> PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      151
Xaa Leu Gly Leu Tyr Xaa
1
<210>
      152
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
```

```
<221> MOD_RES
<222>
      (6)..(6)
       4-amino-5-phenylpentanoic acid
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      152
Xaa Leu Gly Leu Tyr Xaa
                5
<210>
       153
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
      (6)..(6)
       4-amino-7-methylheptanoic acid
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       153
Xaa Leu Gly Leu Tyr Xaa
                5
<210>
      154
<211>
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      154
Xaa Leu Gly Leu Leu Ala Leu
<210>
      155
<211>
      7
<212> PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       155
Xaa Leu Gly Leu Tyr Ala Leu
                5
<210>
       156
<211>
       7
<212>
       PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (1)..(1)
```

```
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
       (1)..(7)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      156
Xaa Pro Leu Gly Leu Ala Leu
                5
<210>
      157
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
       acetyl-proline
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       157
Xaa Leu Gly Leu Ala Ala Leu
1
       158
<210>
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
       acetyl-proline
<223>
```

```
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 158
Xaa Leu Gly Leu Ala Leu Leu
<210>
      159
<211>
      7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 159
Xaa Leu Gly Leu Leu Ser Leu
                5
<210>
      160
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
       acetyl-proline
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

```
<400> 160
Xaa Leu Gly Leu Leu Leu Leu
                5
1
<210> 161
<211>
      7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223> N,N-dimethylglycine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      161
Xaa Pro Leu Gly Leu Tyr Leu
                5
<210> 162
<211>
      7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> N,N-dimethylglycine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> 2-phenylglycine
<220>
<221> PEPTIDE
<222> (1)..(7)
```

<220>

```
<400>
      162
Xaa Pro Arg Gly Xaa Tyr Leu
<210>
      163
<211>
       7
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> PEPTIDE
      (1)..(7)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 163
Xaa Pro Leu Gly Leu Arg Leu
<210>
       164
<211>
       4
<212> PRT
<213> Artificial Sequence
<220>
       MOD_RES
<221>
<222>
      (1)..(1)
       4-(2-(5,6,7,8-tetrahydronaphthenyl))butyl-glycine
<223>
<220>
<221>
       MOD_RES
       (2)..(2)
<222>
<223> homophenylalanine
```

```
CAMUARTE LOGEOT
```

```
<221> PEPTIDE
<222> (1)..(4)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 164
Xaa Xaa Tyr Leu
<210>
      165
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
       (5)..(5)
<223> N-methylpiperazinepropyl-glycine
<220>
<221> PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      165
Xaa Leu Gly Xaa Xaa Leu
                5
1
<210>
       166
<211>
<212> PRT
<213> Artificial Sequence
```

```
I SECTION OF THE SECT
```

```
<220>
<221>
     MOD_RES
<222>
      (1)..(1)
<223> tetrazoleacetyl-proline
<220>
<221>
      MOD_RES
      (4)..(4)
<222>
<223> homophenylalanine
<220>
<221>
      PEPTIDE
      (1)..(6)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 166
Xaa Leu Gly Xaa Tyr Leu
<210> 167
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> tetrazoleacetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-serine
<220>
      PEPTIDE
<221>
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Tyr Leu
<210>
      168
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222> (1)..(1)
<223> tetrazoleacetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> norleucine
<220>
<221> PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       168
Xaa Leu Gly Xaa Tyr Xaa
                5
1
<210>
       169
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (4)..(4)
<222>
<223> O-benzyl-serine
```

```
TOBER REPORT
```

```
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 169
Pro Leu Gly Xaa Tyr Leu
<210>
      170
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homo-tyrosine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 170
Xaa Leu Gly Xaa Xaa Leu
                5
<210> 171
<211>
<212> PRT
<213> Artificial Sequence
```

```
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (2)..(2)
<223> 4-aza-hydroxy-phenylalanine
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> 4-aza-hydroxy-phenylalanine
<220>
<221> PEPTIDE
      (1)..(6)
<222>
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 171
Xaa Xaa Gly Xaa Tyr Leu
                5
<210> 172
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> O-allyl-serine
<220>
<221> PEPTIDE
<222> (1)..(6)
```

```
<400> 172
Xaa Leu Gly Xaa Tyr Leu
<210> 173
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> 4-nitro-homophenylalanine
<220>
<221> PEPTIDE
<222>
       (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 173
Xaa Leu Gly Xaa Tyr Leu
<210>
      174
<211>
       6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
```

```
I SALABIE. OR WALL
```

```
<221> MOD_RES
<222>
      (4)..(4)
      homophenylalanine
<223>
<220>
      MOD_RES
<221>
<222>
      (5)..(5)
<223> 4-aza-hydroxy-phenylalanine
<220>
      PEPTIDE
<221>
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 174
Xaa Leu Gly Xaa Xaa Leu
<210> 175
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
       MOD_RES
<221>
<222>
       (4)..(4)
<223> O-methyl-serine
<220>
      PEPTIDE
<221>
       (1)..(6)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
      175
<400>
```

Xaa Leu Gly Xaa Tyr Leu

```
<212>
          PRT
     <213>
           Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-gamma-glutamic acid
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223> O-benzyl-serine
     <220>
<221>
          PEPTIDE
4
     <222>
           (1)..(7)
The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
tide synthesizer using readily available materials well known to
Z.
           ordinarily skilled artisans
T
W
<400>
           176
ä
22.2
     Xaa Pro Leu Gly Xaa Tyr Leu
T
                     5
<210>
           177
     <211>
           7
j.
     <212>
           PRT
     <213>
           Artificial Sequence
     <220>
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-gamma-glutamic acid
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223>
           O-benzyl-serine
```

<220>

<222>

<221> MOD_RES

(7)..(7)

5

1

<210> 176 <211> 7

```
DAGISHIH DOUBLE
```

```
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      177
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      178
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> 3-pyridinecarbonyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      178
Xaa Leu Gly Xaa Tyr Leu
<210>
      179
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
```

<223> norleucine

```
<221> MOD_RES
<222>
      (1)..(1)
<223> 2-pyrazinecarbonyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
     PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      179
Xaa Leu Gly Xaa Tyr Leu
      180
<210>
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD RES
      (4)..(4)
<222>
<223>
      homophenylalanine
<220>
<221> MOD_RES
      (5)..(5)
<222>
      dimethyl-lysine
<223>
<220>
<221> MOD_RES
<222>
      (6)..(6)
```

```
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       180
Xaa Leu Gly Xaa Xaa Xaa
<210>
       181
<211>
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
      MOD RES
       (6)..(6)
<222>
<223>
       homoserine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       181
Xaa Leu Gly Xaa Tyr Xaa
                5
<210>
       182
<211>
       6
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homo-phenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> homo-leucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      182
Xaa Leu Gly Xaa Tyr Xaa
<210>
       183
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-threonine
```

```
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
     183
Xaa Leu Gly Xaa Tyr Leu
<210>
      184
<211>
<212>
     PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
      homophenylalanine
<223>
<220>
<221> MOD_RES
<222>
      (7)..(7)
<223> norleucine
<220>
<221> PEPTIDE
<222>
     (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400>
      184
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
     185
<210>
<211>
<212>
     PRT
<213> Artificial Sequence
```

```
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (3)..(3)
<223> ornithine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      185
Xaa Pro Xaa Gly Xaa Glu Leu
                5
<210>
      186
<211>
      7
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> O-benzyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
```

<211><212>

<220>

PRT

<213> Artificial Sequence

The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans <400> 186 Xaa Pro Leu Gly Xaa Tyr Leu <210> 187 <211> 7 <212> PRT Artificial Sequence <213> <220> MOD_RES <221> <222> (1)..(1)<223> gamma-glutamic acid <220> <221> MOD_RES <222> (5)..(5)<223> O-benzyl-serine <220> <221> MOD_RES <222> (7)..(7)<223> norleucine <220> <221> PEPTIDE <222> (1)..(7)The synthesis of this peptide may be performed on an ABI 433A pep <223> tide synthesizer using readily available materials well known to ordinarily skilled artisans 187 <400> Xaa Pro Leu Gly Xaa Tyr Xaa <210> 188

```
CISCISSIT CONTROL
```

```
<221> MOD_RES
      (4)..(4)
<222>
<223> O-benzyl-serine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 188
Pro Leu Gly Xaa Tyr Leu
                5
<210>
      189
<211> 6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       189
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       190
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> 4-aza-hydroxy-phenylalanine
```

```
ISSISSI ISSIS
```

```
<220>
<221>
      PEPTIDE
      (1)..(6)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 190
Pro Leu Gly Xaa Tyr Leu
<210> 191
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
       (4)..(4)
<222>
<223> homophenylalanine
<220>
<221>
      PEPTIDE
       (1)..(6)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       191
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       192
<211>
<212>
      PRT
       Artificial Sequence
<213>
<220>
<221> MOD_RES
<222>
      (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
```

```
<400> 192
Pro Leu Gly Xaa Glu Leu
                5
<210> 193
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (4)..(4)
<222>
<223> O-benzyl-serine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223>
      norleucine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       193
Pro Leu Gly Xaa Tyr Xaa
       194
<210>
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (4)..(4)
<223> O-methyl-serine
```

```
<221>
      MOD_RES
       (6)..(6)
<222>
<223>
      norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 194
Pro Leu Gly Xaa Tyr Xaa
                5
      195
<210>
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> 4-aza-hydroxy-phenylalanine
<220>
<221> MOD_RES
      (6)..(6)
<222>
<223>
      norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      195
Pro Leu Gly Xaa Tyr Xaa
                5
1
<210> 196
<211>
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
     MOD_RES
<221>
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 196
Pro Leu Gly Xaa Tyr Xaa
<210> 197
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
     MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Pro Leu Gly Xaa Glu Xaa
<210> 198
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (4)..(4)
<223> O-benzyl-serine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> homoleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 198
Pro Leu Gly Xaa Tyr Xaa
<210> 199
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> homoleucine
<220>
```

```
I MANIBUL ME MAINT
```

```
<221> PEPTIDE
 <222>
       (1)..(6)
 <223> The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
       199
Pro Leu Gly Xaa Tyr Xaa
<210>
       200
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223> 4-aza-hydroxy-phenylalanine
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223> homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 200
Pro Leu Gly Xaa Tyr Xaa
1
                5
<210>
       201
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
```

```
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
       homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       201
Pro Leu Gly Xaa Tyr Xaa
<210>
       202
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
      homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      202
Pro Leu Gly Xaa Glu Xaa
                5
```

WI

I

<210>

<211> 4

```
NUMBER OF SOL
```

```
<212>
       PRT
       Artificial Sequence
 <213>
<220>
<221>
       PEPTIDE
<222>
        (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
       203
Pro Leu Gly Leu
<210>
       204
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       204
Pro Leu Gly Leu Leu Tyr Leu
<210>
       205
<211>
       5
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 205
Gly Pro Leu Gly Leu
                5
```

```
DGEGETE. DESET
```

```
<210>
       206
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 206
Asp Pro Leu Gly Leu
<210> 207
<211>
       5
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 207
Pro Glu Gln Gly Leu
<210>
       208
<211>
       4
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(4)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 208
Pro Gln Gly Leu
```

```
1
<210>
       209
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       diphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       209
Pro Leu Gly Leu Xaa Ala Arg
<210>
       210
<211>
       4
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 210
Pro Leu Gly Xaa
```

ũ

u

Part I